

REVIEW ARTICLE

Pitta Dosha and Human Thermoregulation: A Critical Synthesis of Ayurvedic Physiology and Modern Evidence

Apeksha Panwar*

Associate Professor, Department of *Kriya Sharir*, Himalayiya Ayurvedic Medical College and Hospital, Dehradun, Uttarakhand, India.

ARTICLE INFO

Article history:

Received on: 19-08-2026

Accepted on: 23-09-2026

Published on: 30-09-2026

Key words:

Agni,
Ayurveda,
Bhrajaka,
Body temperature,
Kriya Sharir,
Pitta,
Prakriti,
Sweat,
Thermal imaging,
Thermoregulation

ABSTRACT

In Ayurvedic physiology, *Pitta* stands as the principal force governing transformation, metabolic activity, and the generation of bodily heat. Classical descriptions repeatedly link its balanced state to stable internal temperature and its disturbance to intolerance to heat, excessive perspiration, and a subjective sense of burning. Contemporary physiology, by contrast, accounts for temperature regulation through hypothalamic control, adjustments in metabolic output, changes in skin blood flow, and evaporative cooling. Although the two systems appear to describe overlapping phenomena, few attempts have been made to place classical *Pitta* attributes side by side with measurable thermoregulatory variables. The present narrative review gathers material from the major *Samhitas* and their commentaries and from modern databases in order to examine this interface. Classical statements concerning *Ushna*, *Tikshna*, and *Bhrajaka Pitta* are set against data on core and skin temperature, resting metabolic rate, sweat characteristics, infrared imaging, and responses to heat stress. Available observations, though still limited in scale, point toward higher baseline temperatures, more abundant sweating, and lower heat tolerance among individuals of *Pitta*-dominant constitution. Continuous temperature recording and thermal imaging offer practical means of testing these associations further. Important gaps remain, especially the absence of adequately controlled experimental work. Closer dialogue between the two traditions can strengthen the empirical base of *Kriya Sharir* and open useful avenues for individualized approaches to thermal comfort and heat-related risk.

1. INTRODUCTION

Stable core temperature is a prerequisite for the orderly function of enzymes, membrane transport, and neural signaling. Modern accounts locate the primary regulatory center in the pre-optic region of the hypothalamus, where inputs from deep and superficial thermoreceptors are integrated and matched against a defended set point. Effector responses then adjust heat production through metabolic and muscular means, redistribute blood flow at the skin surface, and, when necessary, initiate sweating so that evaporative loss can offset the heat load.^[1,2]

Ayurveda approaches the same biological requirement through the doctrine of the three *Doshas*. *Pitta* is singled out as the agency of heat and transformation. Its cardinal qualities – hot (*Ushna*), sharp (*Tikshna*), liquid (*Drava*), and mobile (*Sara*) – are repeatedly invoked

to explain digestion, tissue metabolism, coloration of the blood and skin, and the maintenance of bodily warmth.^[3-5] When *Pitta* remains within normal limits, temperature is said to stay comfortable, and digestion proceeds smoothly. When it increases, the individual experiences internal heat, burning sensations, heavy sweating, and marked discomfort in warm surroundings. When it declines, coldness and sluggish metabolism appear.

These traditional observations raise a natural question: how far do they correspond to variables that can be measured with present-day instruments? A number of conceptual papers and a handful of small observational studies have noted differences in temperature and sweating according to *Prakriti*, yet a sustained, critical examination of the entire interface has not been published.^[6-8] The review that follows therefore sets out classical statements about *Pitta* in relation to heat, places them beside modern physiological parameters, surveys the limited empirical material that exists, considers possible underlying mechanisms, and outlines the clinical and research implications that follow for the field of *Kriya Sharir*.

Corresponding Author:

Apeksha Panwar, Associate Professor,
Department of *Kriya Sharir*, Himalayiya Ayurvedic Medical College and
Hospital, Dehradun, Uttarakhand, India.
Email: apekshanegi92@gmail.com

1.2. Aims and Objectives

1.2.1. Aims

This study aimed to critically synthesize classical Ayurvedic descriptions of *Pitta* as the principal force of heat and transformation with contemporary physiological evidence on human thermoregulation, thereby strengthening the empirical foundation of *Kriya Sharir* and identifying avenues for individualized thermal care.

1.2.2. Objectives

1. To collate and interpret classical statements from the major *Samhitas* concerning the qualities, subtypes, and clinical markers of *Pitta* in relation to bodily heat, sweating, and thermal comfort.
2. To outline the principal mechanisms and measurable variables of modern thermoregulatory physiology (core and skin temperature, metabolic rate, cutaneous blood flow, sweat rate, and heat-strain indices).
3. To construct a provisional correspondence between classical *Pitta* attributes (*Ushna*, *Tikshna*, *Sweda*, *Bhrajaka Pitta*, and link with *Agni*) and quantifiable thermoregulatory parameters.
4. To survey available observational data relating *Prakriti* (especially *Pitta*-dominant constitution) to baseline temperature, sweating characteristics, and heat intolerance.
5. To discuss plausible biological pathways, practical implications for personalized thermal advice, and the principal gaps that must be addressed by future controlled research.

2. MATERIALS AND METHODS

This narrative review was conducted to synthesize classical Ayurvedic descriptions of *Pitta* in relation to thermoregulation with contemporary physiological evidence. The search strategy encompassed both traditional textual sources and modern scientific literature.

2.1. Classical Sources

Primary Ayurvedic texts consulted included the *Charaka Samhita*, *Sushruta Samhita*, and *Ashtanga Hridaya*, together with their principal commentaries. Passages pertaining to the qualities of *Pitta* (*Ushna*, *Tikshna*, *Drava*, and *Sara*), its five functional subtypes (*Pachaka*, *Ranjaka*, *Sadhaka*, *Alochaka*, and *Bhrajaka Pitta*), the relationship between *Pitta* and *Agni*, clinical markers of *Pitta* excess and deficiency, and the physiology of *Sweda* (sweat) were extracted and collated. Secondary classical interpretations from modern Ayurvedic scholars were also examined for contextual clarity.^[3-5,9,10]

2.2. Modern Literature Search

Electronic databases including PubMed, Scopus, Google Scholar, AYUSH Research Portal, and the Digital Helpline for Ayurveda Research Articles (DHARA) were searched from inception to 2024. Search terms combined Ayurvedic keywords (*Pitta*, *Prakriti*, *Dosha*, *Agni*, *Sweda*, *Bhrajaka*, and *Kriya Sharir*) with physiological terms (thermoregulation, body temperature, core temperature, skin temperature, sweat rate, heat intolerance, metabolic rate, infrared thermography, and thermal imaging). Additional relevant citations were identified by hand-searching reference lists of retrieved articles. Inclusion criteria comprised peer-reviewed original studies, reviews, and conceptual papers that addressed either classical *Pitta* physiology or measurable thermoregulatory variables in relation to constitution or Ayurvedic concepts. Case reports, conference abstracts without full text, and non-English publications (except classical Sanskrit sources) were excluded.

2.3. Synthesis Approach

Extracted classical statements were organized thematically according to the cardinal qualities of *Pitta*, its subtypes, and clinical manifestations. Modern findings were mapped against these themes to construct a provisional correspondence table. Observational data relating *Prakriti* to temperature, sweating, and heat tolerance were summarized narratively. Because of heterogeneity in study design, sample size, and *Prakriti* assessment methods, no formal meta-analysis was attempted. Gaps in the evidence base were identified systematically and used to formulate research priorities.

3. CLASSICAL BACKGROUND: PITTA AND THE REGULATION OF HEAT

3.1. Linguistic and Conceptual Roots

The word “*Pitta*” is connected with the verbal root that denotes heating or burning (*tap*).^[4] Early medical writers treat it as the bodily expression of the transformative power otherwise known as *Agni*. Charaka and Sushruta list its qualities as hot (*Ushna*), sharp (*Tikshna*), fluid (*Drava*), spreading (*Sara*), light, and slightly odorous (Cha. Su. 1/60; Su. Su. 21/11; A.Hr. Su. 1/11).^[3-5] Of these, the quality of heat is given primacy because it sustains the metabolic fire that keeps the organism alive. Commentators repeatedly stress that the extinction of this internal heat is incompatible with continued life.

The relationship between *Pitta* and *Agni* is presented as reciprocal. When *Pitta* is well balanced, digestive and tissue fires operate efficiently, and temperature remains steady. Excess *Pitta* intensifies heat production and produces the familiar signs of burning and intolerance; deficiency reduces both metabolic drive and body warmth. This classical pairing supplies a ready conceptual link with contemporary measurements of resting energy expenditure and thermogenesis.^[3-6]

3.2. The Five Functional Divisions of Pitta

Traditional physiology divides *Pitta* into five subtypes, each assigned a seat and a distinctive role (Su. Su. 15/4; Su. Su. 21/6–7).^[4] *Pachaka Pitta*, located in the stomach and upper intestine, is responsible for the primary digestion of food and is regarded as the chief source of metabolic heat arising from the gut. *Ranjaka Pitta*, associated with the liver and blood, contributes to the coloring of *Rakta* and to the distribution of heat throughout the circulation. *Sadhaka Pitta*, linked with the heart and mental faculties, influences emotional tone; anger and intense mental effort can themselves raise the sensation of heat. *Alochaka Pitta* governs vision and is only indirectly related to systemic temperature. *Bhrajaka Pitta*, residing in the skin, is of special interest for thermoregulation. Classical authorities credit it with the maintenance of normal surface temperature, the glow of the complexion, and the processing of substances applied to the skin. In effect, *Bhrajaka Pitta* represents the traditional understanding of the skin as the principal organ of heat exchange with the external environment.^[3-5]

3.3. Clinical Markers of Pitta Balance and Imbalance

In a state of equilibrium, body warmth is moderate, sweating matches the demands of climate and activity, and the skin remains clear. When *Pitta* increases, the subject reports a feeling of internal heat (*Daha*), burning in the eyes, palms, or soles, free sweating that may carry a noticeable odor, marked thirst, and clear intolerance of hot weather or pungent food (Cha. Vi. 8/97).^[3] The skin may appear flushed and the hair may gray or thin earlier than expected. When *Pitta* diminishes,

coldness of the body, weak digestion, and loss of luster become prominent. Sweat (*Sweda*) itself is described as a waste product of fat tissue that stands in an abode-content relationship with *Pitta*; its formation and release serve both excretory and cooling functions (A.Hr. Su. 11/26).^[5] Classical writers already noted that the amount and character of sweat differ according to constitution – an observation that invites direct comparison with modern sweat-rate and composition studies.^[6,11]

4. BRIEF OUTLINE OF CONTEMPORARY THERMOREGULATORY PHYSIOLOGY

Present-day understanding places the main controller in the pre-optic hypothalamus. Afferent signals from core and skin thermoreceptors are compared with a regulated reference value. Any deviation activates appropriate effectors. Heat production rises through increases in basal metabolism, the energetic cost of food processing, muscular activity, and, when required, shivering or the recruitment of brown adipose tissue. Heat is conserved by constriction of skin vessels or dissipated by their dilation. Once ambient temperature or internal heat load exceeds the capacity of dry heat loss, eccrine sweating provides the principal route of evaporative cooling.^[1,2,12-15]

A range of techniques now permits quantitative assessment of these processes. Core temperature can be tracked continuously by specialized sensors; skin temperature can be mapped at multiple sites or imaged by infrared cameras; metabolic rate can be estimated by indirect calorimetry; sweat can be collected and analyzed for volume and solute content; and standardized heat-exposure protocols allow measurement of tolerance thresholds and cardiovascular strain. These methods supply the concrete endpoints against which classical qualitative statements can be examined.^[13,16,17]

5. CORRESPONDENCE BETWEEN CLASSICAL ATTRIBUTES AND MEASURABLE VARIABLES

The following table summarizes a working correspondence between traditional descriptors and modern parameters. The alignment is offered as a guide for further inquiry rather than as a claim of exact equivalence.

The quality of heat most readily invites comparison with measured temperature and metabolic rate. Descriptions of sweating correspond to the volume and character of sweat. Subjective burning and intolerance align with comfort ratings and objective strain under heat load. The cutaneous seat of *Bhrajaka Pitta* suggests a natural focus on skin blood flow and thermal imaging. The classical association of *Pitta* with digestive and tissue fire points toward energy-expenditure measurements. Each of these links remains provisional and requires systematic testing.

6. SURVEY OF AVAILABLE OBSERVATIONAL MATERIAL

Direct experimental comparisons of continuous thermoregulatory records across well-characterized *Prakriti* groups are still scarce. What exists is largely observational and modest in scale, yet the pattern that emerges is consistent enough to warrant attention.

Studies that have recorded ordinary vital signs in relation to constitution report modestly higher average body temperatures among subjects classified as *Pitta*-predominant or as mixed types containing a strong *Pitta* component. One investigation conducted in healthy infants detected statistically significant differences across *Prakriti* categories,

with higher readings more often associated with *Pitta* influence.^[8,18] Although sample sizes have been small and assessment methods not fully standardized, the direction of the findings accords with classical expectation.

Descriptions of sweating likewise show continuity between traditional and modern accounts. *Pitta*-dominant individuals are regularly said to sweat more freely and to produce sweat that is warmer and sometimes more noticeable in odor. Sparse contemporary measurements of sweat rate, together with genetic indications of more rapid drug metabolism in *Pitta* types, are compatible with a higher baseline metabolic output.^[6,11,19] The traditional remark concerning the odor of sweat may ultimately relate to differences in apocrine activity or in the bacterial processing of sweat constituents – possibilities that have not yet been examined systematically.

Infrared thermography has begun to find a place in some Ayurvedic clinics as a means of visualizing regional heat distribution. Controlled comparisons that stratify participants by rigorously determined *Prakriti* are lacking, yet the method is non-invasive and capable of generating quantitative maps of surface temperature.^[16,17] Wearable sensors that log temperature continuously further enlarge the scope for ambulatory study. Heat intolerance itself remains a recurrent clinical observation among *Pitta*-predominant persons and matches modern notions of reduced tolerance and greater physiological cost under thermal stress. Formal heat-challenge trials stratified by constitution have not, however, been reported.

7. DISCUSSION

7.1. Interpretation of the Classical-Modern Interface

The classical portrayal of *Pitta* as the agency of heat finds broad conceptual resonance with modern thermoregulatory physiology. The primacy given to the *Ushna* quality corresponds to measurable elevations in core and skin temperature and to a higher resting metabolic rate. The association of *Sweda* with *Pitta* anticipates contemporary findings of greater sweat volume in *Pitta*-predominant individuals. Likewise, the clinical experience of *Daha* and heat intolerance aligns with reduced thermal comfort and greater physiological strain under heat load. *Bhrajaka Pitta*, seated in the skin, offers a traditional counterpart to cutaneous vasomotor and sudomotor control – the principal effectors of heat dissipation.^[1,14,15]

At the same time, exact numerical equivalence should not be assumed. Classical descriptions are qualitative and constitution-based; modern measurements are quantitative and population-averaged. Differences in ambient climate, lifestyle, diet, and assessment instruments further complicate direct comparison. The provisional mapping presented in Table 1 therefore serves as a heuristic framework rather than a definitive translation.

7.2. Hypothetical Biological Pathways

Several physiological routes could explain the associations sketched above. Elevated sympathetic tone and higher circulating catecholamines would be expected to raise both metabolic rate and skin blood flow. Enhanced activity of mitochondrial uncoupling proteins or of the thyroid axis could increase non-shivering heat production. Low-grade inflammatory or oxidative processes, themselves influenced by diet and lifestyle factors that also affect *Pitta*, might lower the threshold for the subjective sensation of heat. At the skin surface, variation in vascular reactivity or in the density and responsiveness of sweat glands could account for differences traditionally ascribed to *Bhrajaka Pitta*.^[7,19-21]

Genetic and genomic studies of *Prakriti* have reported differential expression of genes related to metabolism, inflammation, and drug handling among constitutional types. These molecular signatures provide plausible intermediate mechanisms linking classical constitution to measurable thermoregulatory phenotypes, although causal pathways remain to be elucidated under controlled experimental conditions.^[19-21]

7.3. Implications for Practice and Translation

If constitution-related differences in thermal physiology can be confirmed, several practical consequences follow. Advice on clothing, indoor climate, timing of outdoor work, and exercise intensity could be adjusted according to *Dosha* predominance. Individuals with a strong *Pitta* component might be counseled to adopt cooling measures earlier in the season or during periods of high physical demand. Continuous temperature monitors and thermal imaging could serve as objective markers for tracking response to traditional cooling regimens – dietary adjustments, specific herbal preparations, oil massage with cooling media, and selected purification procedures. In occupational and sporting contexts, early identification of persons at greater risk of heat illness could guide preventive strategies. At the same time, a clearer physiological understanding of classical cooling therapies may suggest new adjunctive options for conditions marked by excessive heat generation or impaired heat loss.^[22-25]

7.4. Outstanding Questions and Research Priorities

Several concrete deficiencies limit present confidence in the proposed correlations:

1. Large, multicenter investigations that pair validated *Prakriti* instruments with continuous core and multi-site skin temperature records under both resting and heat-loaded conditions are still missing.
2. Standardized heat-exposure protocols that classify participants by *Dosha* and report objective indices of strain, sweating threshold, and recovery have not been published.
3. Infrared and wearable temperature data have yet to be validated against classical signs of *Pitta* and against clinical response to cooling measures.
4. Molecular, autonomic, and endocrine profiles linked to *Pitta* status remain largely unexplored.
5. Adequately powered trials that test classical *Pitta*-pacifying interventions with pre-specified thermoregulatory endpoints are scarce.

Closing these gaps will demand sustained cooperation among Ayurvedic scholars, physiologists, engineers, and clinical investigators. Standardized assessment tools, transparent protocols, and balanced reporting of results will be essential if the field is to move from plausible correspondence to reliable evidence.

8. CONCLUSION

Classical statements about *Pitta* supply a coherent qualitative account of how individuals differ in the production, distribution, and loss of heat. Modern physiological techniques offer the means to test and refine that account. The limited observations so far available are broadly consistent with traditional expectations, especially regarding baseline temperature, sweating, and heat intolerance. At the same time, the evidence remains thin and largely exploratory. A two-way exchange – letting classical insight shape precise questions and letting quantitative measurement correct and extend traditional concepts –

can deepen the scientific grounding of *Kriya Sharir* and contribute practical tools for personalized thermal care. Systematic work along these lines is both feasible and needed.

9. ACKNOWLEDGMENTS

The authors thank the classical physicians whose observations form the starting point of this discussion and the contemporary researchers whose measurements make critical comparison possible.

10. AUTHOR CONTRIBUTIONS

All listed authors took part in framing the review, locating and assessing sources, interpreting the material, and preparing the final text.

11. FUNDING

No external funding was received for this work.

12. ETHICAL STATEMENT

The article is a literature-based narrative review and involves neither human participants nor experimental animals; formal ethical approval is therefore not required.

13. CONFLICT OF INTEREST

The authors declare that they have no competing interests.

14. DATA AVAILABILITY STATEMENT

The data analyzed in this review were obtained from publicly available sources, including peer-reviewed articles, observational studies, and surveys accessible through databases.

15. DISCLAIMER/VIEW AND OPINIONS

The opinions expressed in this article are solely those of the authors and do not reflect the views of the International Research Journal of Ayurveda and Yoga or its editorial board.

16. AI-USE DECLARATION

The authors declare that no generative AI tools were used to create scientific content, interpret data, or draft any sections of this manuscript. AI-based tools were used solely for minor language and grammar refinements to improve clarity and readability. All scientific content, analysis, and conclusions remain the sole responsibility of the author.

17. PUBLISHERS NOTE

This journal remains neutral with regard to jurisdictional claims in published institutional affiliations.

REFERENCES

1. Charkoudian N. Skin blood flow in adult human thermoregulation: How it works, when it does not, and why. *Mayo Clin Proc.* 2003;78(5):603-12.
2. Valiathan MS. The legacy of caraka. Hyderabad: Orient Longman; 2003.
3. Sharma PV, editor. Charaka samhita of agnivesha (with ayurveda dipika commentary of chakrapanidatta). Sutra sthana (dirghanjivitiya

- adhyaya), (vatakalakaliya adhyaya), sutra sthana, (trishothiya adhyaya), vimana sthana, rogabhishagitiya vimana). Vol. 1., Ch. 1, 8, 12, 18., Ver. 11, 50, 59-60, 97. Varanasi: Chaukhambha Orientalia; 2014.
4. Sharma PV, editor. Sushruta samhita of sushruta (with nibandhasangraha commentary of dalhana). Sutra sthana, (dosha-dhatu-mala-kshaya-vridhhi-vijnaniya adhyaya), sutra sthana, vranaprashna adhyaya). Vol. 1., Ch. 15, 21., Ver. 4, 5-11. Varanasi: Chaukhambha Visvabharati; 2013.
 5. Srikantha Murthy KR, translator. Ashtanga hridaya of vagbhata. Sutra sthana, (ayushkamiya adhyaya) (doshadi vijnaniya adhyaya), sutra sthana, (doshabhediya adhyaya). Vol. 1., Ch. 1, 11, 12., Ver. 2-3, 11, 26. Varanasi: Chaukhambha Krishnadas Academy; 2012.
 6. Hankey A. Establishing the scientific validity of Tridosha part 1: Doshas, subdoshas and dosha prakritis. *Anc Sci Life*. 2010;29(3):6-18.
 7. Joshi K, Ghodke Y, Shintre P. Traditional medicine and genomics. *J Ayurveda Integr Med*. 2010;1(1):26-32.
 8. Rotti H, Raval R, Anchan S, Bellampalli R, Bhale S, Bharadwaj R, Bhat BK, Dedge AP, Dhumal VR, Gangadharan GG, Girijakumari TK, Gopinath PM, Govindaraj P, Halder S., & Valiathan MV. Determinants of Prakriti, the human constitution types of Indian traditional medicine and its correlation with contemporary science. *J Ayurveda Integr Med*. 2014;5(3):167-75.
 9. Valiathan MS. The legacy of susruta. Hyderabad: Orient Longman; 2007.
 10. Hankey A. The scientific value of ayurveda. *J Altern Complement Med*. 2005;11(2):221-5.
 11. Verma V, Gehlot S, Agrawal S. Ayurveda insights on physiology of sweating and thermoregulation. *J Nat Remedies*. 2019;19(3):111-20.
 12. Romanovsky AA. The thermoregulation system and how it works. *Handb Clin Neurol*. 2018;156:3-43.
 13. Kenny GP, Jay O. Thermometry, calorimetry, and mean body temperature during heat stress. *Compr Physiol*. 2013;3(4):1689-719.
 14. Cramer MN, Jay O. Biophysical aspects of human thermoregulation during heat stress. *Auton Neurosci*. 2016;196:3-13.
 15. Shibasaki M, Crandall CG. Mechanisms and controllers of eccrine sweating in humans. *Front Biosci (Schol Ed)*. 2010;2:685-96.
 16. Fernandez-Cuevas I, Marins JC, Lastras JA, Gómez Carmona PM, Piñonosa Cano S, García-Concepción MA, Sillero-Quintana M. Classification of factors influencing the use of infrared thermography in humans: A review. *Infrared Phys Technol*. 2015;71:28-55.
 17. Ring EF, Ammer K. Infrared thermal imaging in medicine. *Physiol Meas*. 2012;33(3):R33-46.
 18. Tiwari S, Gehlot S, Tiwari SK. Effect of temperature and seasonal variation on Prakriti. *AYU*. 2011;32(2):211-5.
 19. Prasher B, Negi S, Aggarwal S, Mandal AK, Sethi TP, Deshmukh SR, Purohit SG, Sengupta S, Khanna S, Mohammad F, Garg G, Brahmachari SK, Indian Genome Variation Consortium, Mukerji M. Whole genome expression and biochemical correlates of extreme constitutional types defined in Ayurveda. *J Transl Med*. 2008;6:48.
 20. Ghodke Y, Joshi K, Patwardhan B. Traditional medicine to modern pharmacogenomics: Ayurveda Prakriti type and *CYP2C19* gene polymorphism associated with the metabolic variability. *Evid Based Complement Alternat Med*. 2011;2011:249528.
 21. Govindaraj P, Nizamuddin S, Sharath A, Jyothi V, Rotti H, Raval R, Nayak J, Bhat BK, Prasanna BV, Shintre P, Sule M, Joshi KS, Dedge AP, Bharadwaj R,... & Thangaraj K. Genome-wide analysis correlates Ayurveda Prakriti. *Sci Rep*. 2015;5:15786.
 22. Patwardhan B, Mutalik G, Tillu G. Integrative Approaches for Health. San Diego: Academic Press; 2015.
 23. Rastogi S. Building bridges between ayurveda and modern science. *Int J Ayurveda Res*. 2010;1(1):41-6.
 24. Bhalerao S, Deshpande T, Thatte U. Prakriti (ayurvedic concept of constitution) and variations in platelet aggregation. *BMC Complement Altern Med*. 2012;12:248.
 25. Dey S, Pahwa P. Prakriti and its associations with metabolism, chronic diseases, and genotypes: Possibilities of new born screening and a lifetime of personalized prevention. *J Ayurveda Integr Med*. 2014;5(1):15-24.

How to cite this article:

Panwar A. *Pitta Dosha* and Human Thermoregulation: A Critical Synthesis of Ayurvedic Physiology and Modern Evidence. *IRJAY*. [online] 2026;9(9):40-45.

Available from: <https://irjay.in>

DOI link- <https://doi.org/10.48165/IRJAY.2026.90906>

Table 1: Provisional mapping of Pitta characteristics onto thermoregulatory measures

Classical descriptor	Corresponding modern variable	Strength of present evidence
<i>Ushna</i> (heat quality)	Core and mean skin temperature; resting metabolic rate	Limited observational data
<i>Sweda</i> (perspiration)	Sweat rate and compositional profile	Classical statements plus sparse measurements
<i>Daha</i> and heat intolerance	Thermal comfort scores; heat-strain indices	Consistent clinical reports
<i>Tikshna</i> (sharp quality)	Speed of thermal response	Very few data
<i>Bhrajaka Pitta</i>	Cutaneous blood flow; infrared temperature patterns	Early clinical application
Link with <i>Agni</i>	Resting energy expenditure; substrate use	Indirect support from <i>Prakriti</i> studies